


## Design:

With threaded bush, application temperature up to 200 °C. Flat pot magnets made of ceramic permanent magnet material OXIT 380 are provided with a shielding pot made of soft iron. Surface galvanised



N° article	279900 Flat gripper, made of OXIT	$d_1$ mm	$h$ mm	$d_2$ mm	$H$ mm	G metric	Adhesion, min. N	Weight g
10	●	10	4,5	6	11,5	M3	4	4
13	●	13	4,5	6	11,5	M3	10	5
16	●	16	4,5	6	11,5	M3	18	6
20	●	20	6	6	13	M3	30	11
25	●	25	7	8	15	M4	40	22
32	●	32	7	8	15	M4	80	32
40	●	40	8	10	18	M5	125	60
50	●	50	10	12	22	M6	220	110
63	●	63	14	15	30	M8	350	240