


**ME20**

 鎢鋼鑽頭  
 Carbide Drill


**新規格上市**  
 New Specification Arrival


 MG


 CO 12%


 HRC < 50


 M 500


 DN 6537


 AlTiN



 3D


 5D


 h8

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
<b>NEW</b> ME20160S03	●	1.6	11	0.4	4	7	28	58	
ME20200S03	●	2	18	0.4	4	14	28	58	
ME20200S05	●	2	13	0.4	4	9	28	58	
ME20210S03	●	2.1	18	0.4	4	14	28	58	
ME20210S05	●	2.1	13	0.4	4	9	28	58	
<b>NEW</b> ME20214S03	●	2.14	13	0.4	4	9	28	58	
ME20220S03	●	2.2	18	0.4	4	14	28	58	
ME20220S05	●	2.2	13	0.4	4	9	28	58	
ME20230S03	●	2.3	18	0.4	4	14	28	58	
ME20230S05	●	2.3	17	0.4	4	12	28	58	
ME20240S03	●	2.4	22	0.4	4	17	28	58	
ME20240S05	●	2.4	17	0.4	4	12	28	58	
ME20245S03	●	2.45	22	0.5	4	17	28	58	
ME20245S05	●	2.45	17	0.5	4	12	28	58	
ME20250S03	●	2.5	22	0.5	4	17	28	58	
ME20250S05	●	2.5	17	0.5	4	12	28	58	
ME20255S03	●	2.55	17	0.5	4	12	28	58	
ME20260S03	●	2.6	22	0.5	4	17	28	58	
ME20260S05	●	2.6	17	0.5	4	12	28	58	
ME20270S03	●	2.7	22	0.5	4	17	28	58	
ME20270S05	●	2.7	17	0.5	4	12	28	58	
ME20280S03	●	2.8		0.5	4		28	58	

※ 請接下頁。 ※ Continued on next page.

鎢鋼鑽頭  
Carbide Drill

**新規格上市**  
New Specification Arrival


**MG**

**CO 12%**

**HRC < 50**

**M 500**

**DN 6537**

**AlTiN**


**3D**

**5D**

**h8**

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20280S05	●	2.8	22	0.5	4	17	28	58	
ME20290S03	●	2.9	17	0.5	4	12	28	58	
ME20290S05	●	2.9	22	0.5	4	17	28	58	
ME20300S03D4	●	3	20	0.5	4	14	36	62	
ME20300S03	●	3	20	0.5	6	14	36	62	
ME20300S05D4	●	3	28	0.5	4	23	36	66	
ME20300S05	●	3	28	0.5	6	23	36	66	
ME20310S03D4	●	3.1	20	0.6	4	14	36	62	
ME20310S03		3.1	20	0.6	6	14	36	62	
ME20310S05D4	●	3.1	28	0.6	4	23	36	66	
ME20310S05	●	3.1	28	0.6	6	23	36	66	
ME20320S03D4	●	3.2	20	0.6	4	14	36	62	
ME20320S03	●	3.2	20	0.6	6	14	36	62	
ME20320S05D4	●	3.2	28	0.6	4	23	36	66	
ME20320S05	●	3.2	28	0.6	6	23	36	66	
ME20325S03D4	●	3.25	20	0.6	4	14	36	62	
ME20325S03	●	3.25	20	0.6	6	14	36	62	
ME20330S03D4	●	3.3	20	0.6	4	14	36	62	
ME20330S03		3.3	20	0.6	6	14	36	62	
ME20330S05D4	●	3.3	28	0.6	4	23	36	66	
ME20330S05	●	3.3	28	0.6	6	23	36	66	
ME20340S03D4	●	3.4	20	0.6	4	14	36	62	

※ 請接下頁。 ※ Continued on next page.


 鎢鋼鑽頭  
 Carbide Drill


**新規格上市**  
 New Specification Arrival


 MG


 CO 12%


 HRC < 50


 M 500


 DN 6537


 AlTiN



 3D


 5D


 h8

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20340S03	●	3.4	20	0.6	6	14	36	62	
ME20340S05D4	●	3.4	28	0.6	4	23	36	66	
ME20340S05	●	3.4	28	0.6	6	23	36	66	
ME20350S03D4	●	3.5	20	0.6	4	14	36	62	
ME20350S03	●	3.5	20	0.6	6	14	36	62	
ME20350S05D4	●	3.5	28	0.6	4	23	36	66	
ME20350S05	●	3.5	28	0.6	6	23	36	66	
<b>NEW</b> ME20355S03	●	3.55	20	0.6	6	14	36	62	
ME20360S03D4	●	3.6	20	0.7	4	14	36	62	
ME20360S03		3.6	20	0.7	6	14	36	62	
ME20360S05D4	●	3.6	28	0.7	4	23	36	66	
ME20360S05		3.6	28	0.7	6	23	36	66	
ME20365S03	●	3.65	20	0.7	6	14	36	62	
ME20370S03D4	●	3.7	20	0.7	4	14	36	62	
ME20370S03		3.7	20	0.7	6	14	36	62	
ME20370S05D4	●	3.7	28	0.7	4	23	36	66	
ME20370S05	●	3.7	28	0.7	6	23	36	66	
ME20380S03D4	●	3.8	24	0.7	4	17	36	66	
ME20380S03	●	3.8	24	0.7	6	17	36	66	
ME20380S05D4	●	3.8	36	0.7	4	29	36	74	
ME20380S05		3.8	36	0.7	6	29	36	74	
ME20390S03D4	●	3.9	24	0.7	4	17	36	66	

※ 請接下頁。 ※ Continued on next page.

鎢鋼鑽頭  
Carbide Drill

**新規格上市**  
New Specification Arrival

MG

CO  
12%HRC  
≤50M  
500DN  
6537

AlTiN


3D

5D

h8

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20390S03	●	3.9	24	0.7	6	17	36	66	
ME20390S05D4		3.9	36	0.7	4	29	36	74	
ME20390S05	●	3.9	36	0.7	6	29	36	74	
ME20400S03D4	●	4	24	0.7	4	17	36	66	
ME20400S03A	●	4	24	0.7	4	17	36	66	
ME20400S03	●	4	24	0.7	6	17	36	66	
ME20400S05D4	●	4	36	0.7	4	29	36	74	
ME20400S05	●	4	36	0.7	6	29	36	74	
ME20410S03	●	4.1	24	0.7	6	17	36	66	
ME20410S05	●	4.1	36	0.7	6	29	36	74	
ME20420S03	●	4.2	24	0.8	6	17	36	66	
ME20420S05	●	4.2	36	0.8	6	29	36	74	
ME20430S03	●	4.3	24	0.8	6	17	36	66	
ME20430S05	●	4.3	36	0.8	6	29	36	74	
ME20440S03	●	4.4	24	0.8	6	17	36	66	
ME20440S05	●	4.4	36	0.8	6	29	36	74	
ME20450S03	●	4.5	24	0.8	6	17	36	66	
ME20450S05	●	4.5	36	0.8	6	29	36	74	
ME20455S03	●	4.55	24	0.8	6	17	36	66	
ME20460S03	●	4.6	24	0.8	6	17	36	66	
ME20460S05	●	4.6	36	0.8	6	29	36	74	
ME20470S03	●	4.7	24	0.9	6	17	36	66	

※ 請接下頁。 ※ Continued on next page.


 鎢鋼鑽頭  
 Carbide Drill


**新規格上市**  
 New Specification Arrival


 MG


 CO 12%


 HRC < 50


 M 500


 DN 6537


 AlTiN



 3D


 5D


 h8

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20470S05	●	4.7	36	0.9	6	29	36	74	
ME20480S03	●	4.8	28	0.9	6	20	36	66	
ME20480S05	●	4.8	44	0.9	6	35	36	82	
ME20490S03	●	4.9	28	0.9	6	20	36	66	
ME20490S05	●	4.9	44	0.9	6	35	36	82	
ME20500S03	●	5	28	0.9	6	20	36	66	
ME20500S05	●	5	44	0.9	6	35	36	82	
ME20510S03	●	5.1	28	0.9	6	20	36	66	
ME20510S05	●	5.1	44	0.9	6	35	36	82	
ME20520S03	●	5.2	28	0.9	6	20	36	66	
ME20520S05	●	5.2	44	0.9	6	35	36	82	
ME20530S03	●	5.3	28	1	6	20	36	66	
ME20530S05		5.3	44	1	6	35	36	82	
ME20540S03	●	5.4	28	1	6	20	36	66	
ME20540S05	●	5.4	44	1	6	35	36	82	
ME20550S03	●	5.5	28	1	6	20	36	66	
ME20550S05	●	5.5	44	1	6	35	36	82	
ME20560S03	●	5.6	28	1	6	20	36	66	
ME20560S05	●	5.6	44	1	6	35	36	82	
ME20570S03	●	5.7	28	1	6	20	36	66	
ME20570S05	●	5.7	44	1	6	35	36	82	
ME20580S03	●	5.8	28	1.1	6	20	36	66	

※ 請接下頁。 ※ Continued on next page.

鎢鋼鑽頭  
Carbide Drill

**新規格上市**  
New Specification Arrival


**MG**

**CO 12%**

**HRC < 50**

**M 500**

**DN 6537**

**AlTiN**


**3D**

**5D**

**h8**

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20580S05	●	5.8	44	1.1	6	35	36	82	
ME20590S03	●	5.9	28	1.1	6	20	36	66	
ME20590S05	●	5.9	44	1.1	6	35	36	82	
ME20600S03	●	6	28	1.1	6	20	36	66	
ME20600S05	●	6	44	1.1	6	35	36	82	
ME20610S03	●	6.1	34	1.1	8	24	36	79	
ME20610S05		6.1	53	1.1	8	43	36	91	
ME20620S03	●	6.2	34	1.1	8	24	36	79	
ME20620S05	●	6.2	53	1.1	8	43	36	91	
ME20630S03	●	6.3	34	1.1	8	24	36	79	
ME20630S05	●	6.3	53	1.1	8	43	36	91	
ME20640S03	●	6.4	34	1.2	8	24	36	79	
ME20640S05	●	6.4	53	1.2	8	43	36	91	
ME20650S03	●	6.5	34	1.2	8	24	36	79	
ME20650S05	●	6.5	53	1.2	8	43	36	91	
ME20660S03	●	6.6	34	1.2	8	24	36	79	
ME20660S05	●	6.6	53	1.2	8	43	36	91	
ME20670S03	●	6.7	34	1.2	8	24	36	79	
ME20670S05	●	6.7	53	1.2	8	43	36	91	
ME20680S03	●	6.8	34	1.2	8	24	36	79	
ME20680S05	●	6.8	53	1.2	8	43	36	91	
ME20690S03	●	6.9	34	1.3	8	24	36	79	

※ 請接下頁。 ※ Continued on next page.


 鎢鋼鑽頭  
 Carbide Drill


**新規格上市**  
 New Specification Arrival


 MG


 CO 12%


 HRC < 50


 M 500


 DN 6537


 AlTiN



 3D


 5D


 h8

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20690S05	●	6.9	53	1.3	8	43	36	91	
ME20700S03	●	7	34	1.3	8	24	36	79	
ME20700S05	●	7	53	1.3	8	43	36	91	
ME20710S03	●	7.1	41	1.3	8	29	36	79	
ME20710S05	●	7.1	53	1.3	8	43	36	91	
ME20720S03	●	7.2	41	1.3	8	29	36	79	
ME20720S05	●	7.2	53	1.3	8	43	36	91	
ME20730S03	●	7.3	41	1.3	8	29	36	79	
ME20730S05	●	7.3	53	1.3	8	43	36	91	
ME20740S03	●	7.4	41	1.3	8	29	36	79	
ME20740S05	●	7.4	53	1.3	8	43	36	91	
ME20750S03	●	7.5	41	1.4	8	29	36	79	
ME20750S05	●	7.5	53	1.4	8	43	36	91	
ME20760S03	●	7.6	41	1.4	8	29	36	79	
ME20760S05	●	7.6	53	1.4	8	43	36	91	
ME20770S03	●	7.7	41	1.4	8	29	36	79	
ME20770S05	●	7.7	53	1.4	8	43	36	91	
ME20780S03	●	7.8	41	1.4	8	29	36	79	
ME20780S05	●	7.8	53	1.4	8	43	36	91	
ME20790S03	●	7.9	41	1.4	8	29	36	79	
ME20790S05	●	7.9	53	1.4	8	43	36	91	
ME20800S03	●	8	41	1.5	8	29	36	79	

※ 請接下頁。 ※ Continued on next page.

鎢鋼鑽頭  
Carbide Drill

**新規格上市**  
New Specification Arrival

MG

CO  
12%HRC  
≤50M  
500DN  
6537

AlTiN

3D


5D

h8

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20800S05	●	8	53	1.5	8	43	36	91	
ME20810S03	●	8.1	47	1.5	10	35	40	89	
ME20810S05		8.1	61	1.5	10	49	40	103	
ME20820S03	●	8.2	47	1.5	10	35	40	89	
ME20820S05	●	8.2	61	1.5	10	49	40	103	
ME20830S03	●	8.3	47	1.5	10	35	40	89	
ME20830S05	●	8.3	61	1.5	10	49	40	103	
ME20840S03	●	8.4	47	1.5	10	35	40	89	
ME20840S05	●	8.4	61	1.5	10	49	40	103	
ME20850S03	●	8.5	47	1.5	10	35	40	89	
ME20850S05	●	8.5	61	1.5	10	49	40	103	
ME20860S03	●	8.6	47	1.6	10	35	40	89	
ME20860S05	●	8.6	61	1.6	10	49	40	103	
ME20870S03	●	8.7	47	1.6	10	35	40	89	
ME20870S05	●	8.7	61	1.6	10	49	40	103	
ME20880S03	●	8.8	47	1.6	10	35	40	89	
ME20880S05		8.8	61	1.6	10	49	40	103	
ME20890S03	●	8.9	47	1.6	10	35	40	89	
ME20890S05	●	8.9	61	1.6	10	49	40	103	
ME20900S03	●	9	47	1.6	10	35	40	89	
ME20900S05	●	9	61	1.6	10	49	40	103	
ME20910S03	●	9.1	47	1.7	10	35	40	89	

※ 請接下頁。 ※ Continued on next page.




 鎢鋼鑽頭  
 Carbide Drill

 新規格上市  
 New Specification Arrival

MG

 CO  
 12%

 HRC  
 <50

 M  
 500

 DN  
 6537

Altin


3D

5D

h8

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME20910S05	●	9.1	61	1.7	10	49	40	103	
ME20920S03	●	9.2	47	1.7	10	35	40	89	
ME20920S05	●	9.2	61	1.7	10	49	40	103	
ME20930S03	●	9.3	47	1.7	10	35	40	89	
ME20930S05	●	9.3	61	1.7	10	49	40	103	
ME20940S03	●	9.4	47	1.7	10	35	40	89	
ME20940S05	●	9.4	61	1.7	10	49	40	103	
ME20950S03	●	9.5	47	1.7	10	35	40	89	
ME20950S05	●	9.5	61	1.7	10	49	40	103	
ME20960S03	●	9.6	47	1.7	10	35	40	89	
ME20960S05	●	9.6	61	1.7	10	49	40	103	
ME20970S03	●	9.7	47	1.8	10	35	40	89	
ME20970S05	●	9.7	61	1.8	10	49	40	103	
ME20980S03	●	9.8	47	1.8	10	35	40	89	
ME20980S05	●	9.8	61	1.8	10	49	40	103	
ME20990S03	●	9.9	47	1.8	10	35	40	89	
ME20990S05	●	9.9	61	1.8	10	49	40	103	
ME21000S03	●	10	47	1.8	10	35	40	89	
ME21000S05	●	10	61	1.8	10	49	40	103	
ME21010S03	●	10.1	55	1.8	12	40	45	102	
ME21010S05	●	10.1	71	1.8	12	56	45	118	
ME21020S03	●	10.2	55	1.9	12	40	45	102	

※ 請接下頁。 ※ Continued on next page.

鎢鋼鑽頭  
Carbide Drill

新規格上市  
New Specification Arrival

MG

CO  
12%

HRC  
≤50

M  
500

DN  
6537

AlTiN


3D

5D

h8


產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME21020S05	●	10.2	71	1.9	12	56	45	118	
ME21030S03	●	10.3	55	1.9	12	40	45	102	
ME21030S05	●	10.3	71	1.9	12	56	45	118	
ME21040S03	●	10.4	55	1.9	12	40	45	102	
ME21040S05	●	10.4	71	1.9	12	56	45	118	
ME21050S03	●	10.5	55	1.9	12	40	45	102	
ME21050S05	●	10.5	71	1.9	12	56	45	118	
ME21060S03	●	10.6	55	1.9	12	40	45	102	
ME21060S05	●	10.6	71	1.9	12	56	45	118	
ME21070S03	●	10.7	55	1.9	12	40	45	102	
ME21070S05	●	10.7	71	1.9	12	56	45	118	
ME21080S03	●	10.8	55	2	12	40	45	102	
ME21080S05	●	10.8	71	2	12	56	45	118	
ME21090S03	●	10.9	55	2	12	40	45	102	
ME21090S05	●	10.9	71	2	12	56	45	118	
ME21100S03	●	11	55	2	12	40	45	102	
ME21100S05	●	11	71	2	12	56	45	118	
ME21110S03	●	11.1	55	2	12	40	45	102	
ME21110S05	●	11.1	71	2	12	56	45	118	
ME21120S03	●	11.2	55	2	12	40	45	102	
ME21120S05	●	11.2	71	2	12	56	45	118	
ME21130S03	●	11.3	55	2.1	12	40	45	102	

※ 請接下頁。 ※ Continued on next page.


 鎢鋼鑽頭  
 Carbide Drill


產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME21130S05	●	11.3	71	2.1	12	56	45	118	
ME21140S03	●	11.4	55	2.1	12	40	45	102	
ME21140S05	●	11.4	71	2.1	12	56	45	118	
ME21150S03	●	11.5	55	2.1	12	40	45	102	
ME21150S05	●	11.5	71	2.1	12	56	45	118	
ME21160S03	●	11.6	55	2.1	12	40	45	102	
ME21160S05	●	11.6	71	2.1	12	56	45	118	
ME21170S03	●	11.7	55	2.1	12	40	45	102	
ME21170S05	●	11.7	71	2.1	12	56	45	118	
ME21180S03	●	11.8	55	2.1	12	40	45	102	
ME21180S05	●	11.8	71	2.1	12	56	45	118	
ME21190S03	●	11.9	55	2.2	12	40	45	102	
ME21190S05	●	11.9	71	2.2	12	56	45	118	
ME21200S03	●	12	55	2.2	12	40	45	102	
ME21200S05	●	12	71	2.2	12	56	45	118	
ME21210S03		12.1	60	2.2	14	43	45	107	
ME21210S05		12.1	77	2.2	14	60	45	124	
ME21220S03		12.2	60	2.2	14	43	45	107	
ME21220S05		12.2	77	2.2	14	60	45	124	
ME21230S03	●	12.3	60	2.2	14	43	45	107	
ME21230S05		12.3	77	2.2	14	60	45	124	
ME21250S03	●	12.5	60	2.3	14	43	45	107	

※ 請接下頁。 ※ Continued on next page.

鎢鋼鑽頭  
Carbide Drill

**新規格上市**  
New Specification Arrival

MG

CO  
12%HRC  
≤50M  
500DN  
6537

Altin


3D

5D

h8

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME21250S05	●	12.5	77	2.3	14	60	45	124	
<b>NEW</b> ME21260S05	●	12.6	77	2.3	14	60	45	124	
ME21270S03		12.7	60	2.3	14	43	45	107	
ME21270S05	●	12.7	77	2.3	14	60	45	124	
ME21280S03		12.8	60	2.3	14	43	45	107	
ME21280S05	●	12.8	77	2.3	14	60	45	124	
ME21290S03		12.9	60	2.3	14	43	45	107	
ME21290S05	●	12.9	77	2.3	14	60	45	124	
ME21300S03	●	13	60	2.4	14	43	45	107	
ME21300S05		13	77	2.4	14	60	45	124	
ME21310S03	●	13.1	60	2.4	14	43	45	107	
ME21310S05	●	13.1	77	2.4	14	60	45	124	
ME21350S03		13.5	60	2.5	14	43	45	107	
ME21350S05	●	13.5	77	2.5	14	60	45	124	
ME21380S03	●	13.8	60	2.5	14	43	45	107	
ME21380S05	●	13.8	77	2.5	14	60	45	124	
ME21400S03	●	14	65	2.5	14	45	45	115	
ME21400S05		14	83	2.5	14	63	45	133	
ME21430S03		14.3	65	2.6	16	45	48	115	
ME21430S05		14.3	83	2.6	16	63	48	133	
ME21450S03		14.5	65	2.6	16	45	48	115	
ME21450S05	●	14.5	83	2.6	16	63	48	133	

※ 請接下頁。 ※ Continued on next page.


 鎢鋼鑽頭  
 Carbide Drill


**新規格上市**  
 New Specification Arrival


**MG**

**CO 12%**

**HRC < 50**

**M 500**

**DN 6537**

**AlTiN**


**3D**

**5D**

**h8**

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME21480S03		14.8	65	2.7	16	45	48	115	
ME21480S05	●	14.8	83	2.7	16	63	48	133	
ME21500S03	●	15	65	2.7	16	45	48	115	
ME21500S05	●	15	83	2.7	16	63	48	133	
ME21510S03		15.1	65	2.7	16	45	48	115	
ME21510S05		15.1	83	2.7	16	63	48	133	
ME21550S03		15.5	65	2.8	16	45	48	115	
ME21550S05	●	15.5	83	2.8	16	63	48	133	
ME21580S03		15.8	65	2.9	16	45	48	115	
ME21580S05		15.8	83	2.9	16	63	48	133	
ME21600S03		16	65	2.9	16	45	48	115	
ME21600S05		16	83	2.9	16	63	48	133	
ME21650S03		16.5	73	3	18	51	48	123	
ME21650S05		16.5	93	3	18	71	48	143	
ME21680S03		16.8	73	3.1	18	51	48	123	
ME21680S05		16.8	93	3.1	18	71	48	143	
ME21700S03		17	73	3.1	18	51	48	123	
ME21700S05		17	93	3.1	18	71	48	143	
ME21750S03		17.5	73	3.2	18	51	48	123	
ME21750S05		17.5	93	3.2	18	71	48	143	
ME21780S03		17.8	73	3.2	18	51	48	123	
ME21780S05		17.8	93	3.2	18	71	48	143	

※ 請接下頁。 ※ Continued on next page.

鎢鋼鑽頭  
Carbide Drill

**新規格上市**  
New Specification Arrival


**MG**

**CO 12%**

**HRC < 50**

**M 500**

**DN 6537**

**AlTiN**

**3D**

**5D**

**h8**

產品型號 Model No	在庫 Stock	切削直徑 DC	排屑槽長度 LCF	頂端至肩部尺寸差 PL	柄部直徑 DCON	可使用長度 LU	刀柄長度 LS	全長 OAL	價格 Price
ME21790S03		17.9	73	3.3	18	51	48	123	
ME21790S05		17.9	93	3.3	18	71	48	143	
ME21800S03		18	73	3.3	18	51	48	123	
ME21800S05		18	93	3.3	18	71	48	143	
ME21830S03		18.3	79	3.3	20	55	50	131	
ME21830S05		18.3	101	3.3	20	77	50	153	
ME21850S03		18.5	79	3.4	20	55	50	131	
ME21850S05		18.5	101	3.4	20	77	50	153	
ME21880S03		18.8	79	3.4	20	55	50	131	
ME21880S05		18.8	101	3.4	20	77	50	153	
ME21900S03		19	79	3.5	20	55	50	131	
ME21900S05		19	101	3.5	20	77	50	153	
ME21950S03		19.5	79	3.5	20	55	50	131	
ME21950S05		19.5	101	3.5	20	77	50	153	
ME21980S03		19.8	79	3.6	20	55	50	131	
ME21980S05		19.8	101	3.6	20	77	50	153	
ME22000S03	●	20	79	3.6	20	55	50	131	
ME22000S05		20	101	3.6	20	77	50	153	