


Milling - High Feed Milling - Cutter


Cutters for ENMX

Entering Angle : 10°
4 Corner Negative

<C> Cylindrical



<M> Modular



CICT : Number of Inserts
CBDP : Connection Bore Depth

: Refer to p. 175

Unit : mm




Series	APMX	Designation	EDP 1700..	DC	DCX	CICT	LF	Type	DCON /TDZ	LH	CBDP	DCSFMS	
NEW ENMX 0402	0.5	EHF-EN04-D08Z1C08-L80	1287D	3.18	8	1	80	Cylindrical	08	20	-	-	●
		EHF-EN04-D10Z2C10-L100	1288D	5.18	10	2	100		10	20	-	-	●
		EHF-EN04-D11Z2C10-L100	1289D	6.18	11	2	100		10	20	-	-	●
		EHF-EN04-D12Z3C12-L120	1290D	7.18	12	3	120		12	20	-	-	●
		EHF-EN04-D13Z3C12-L120	1291D	8.18	13	3	120		12	20	-	-	●
		EHF-EN04-D16Z4C16-L150	1292D	11.18	16	4	150		16	40	-	-	●
		EHF-EN04-D17Z4C16-L150	1293D	12.18	17	4	150		16	40	-	-	●
		EHF-EN04-D20Z5C20-L150	1294D	15.18	20	5	150		20	40	-	-	●
		EHF-EN04-D21Z5C20-L150	1295D	16.18	21	5	150	Modular	20	40	-	-	●
		MHF-EN04-D10Z2M06	1296D	5.18	10	2	17		M06	-	-	9.7	●
		MHF-EN04-D11Z2M06	1297D	6.18	11	2	17		M06	-	-	9.7	●
		MHF-EN04-D12Z3M06	1298D	7.18	12	3	17		M06	-	-	11	●
		MHF-EN04-D13Z3M06	1299D	8.18	13	3	17		M06	-	-	11	●
		MHF-EN04-D16Z4M08	1300D	11.18	16	4	23		M08	-	-	13	●
		MHF-EN04-D20Z5M10	1301D	15.18	20	5	23		M10	-	-	18	●
		MHF-EN04-D25Z7M12	1302D	20.18	25	7	27		M12	-	-	21	●
		MHF-EN04-D32Z8M16	1303D	27.18	32	8	27		M16	-	-	29	●

* Clamping Torque (Nm) 0.6Nm

ENMX04	Screw	Wrench	Handle	BIT
Description	TP061804-GS	TPWBTP06	DH-H4	DB-TP06
EDP	18000272	18000277	18000189	18000274

Milling - High Feed Milling - Cutter Cutters for ENMX

Entering Angle : 10°
4 Corner Negative



CICT : Number of Inserts
CBDP : Connection Bore Depth

Refer to p. 175

Unit : mm

Series	APMX	Designation	EDP 1700..	DC	DCX	CICT	LF	Type	DCON /TDZ	LH	CBDP	DCSFMS	
ENMX 0604	0.9	EHF - ENMX06 - D16Z2C16 - L100	0644	9.0	16	2	100	Cylindrical	16	30	-	-	●
		EHF - ENMX06 - D16Z2C16 - L150	0645	9.0	16	2	150		16	50	-	-	●
		EHF - ENMX06 - D17Z2C16 - L100	0674	10.0	17	2	100		16	20	-	-	●
		EHF - ENMX06 - D17Z2C16 - L150	0473	10.0	17	2	150		16	20	-	-	●
	1	EHF - ENMX06 - D20Z3C20 - L130	0463	12.6	20	3	130	Cylindrical	20	50	-	-	●
		EHF - ENMX06 - D20Z3C20 - L160	0646	12.6	20	3	160		20	80	-	-	●
		EHF - ENMX06 - D21Z3C20 - L150	0475	13.6	21	3	150		20	20	-	-	●
		EHF - ENMX06 - D21Z3C20 - L200	0476	13.6	21	3	200		20	20	-	-	●
		EHF - ENMX06 - D25Z4C25 - L140	0647	17.6	25	4	140		25	60	-	-	●
		EHF - ENMX06 - D25Z4C25 - L180	0464	17.6	25	4	180		25	80	-	-	●
		EHF - ENMX06 - D25Z4C25 - L250	0648	17.6	25	4	250		25	120	-	-	●
		EHF - ENMX06 - D26Z4C25 - L150	0479	18.6	26	4	150		25	30	-	-	●
		EHF - ENMX06 - D26Z4C25 - L200	0480	18.6	26	4	200		25	30	-	-	●
		EHF - ENMX06 - D32Z5C32 - L150	0649	24.6	32	5	150		32	70	-	-	●
		EHF - ENMX06 - D32Z5C32 - L200	0465	24.6	32	5	200		32	100	-	-	●
	0.9	MHF - ENMX06 - D16Z2M08	0691	9.0	16	2	23	Modular	M08		-	13	●
		MHF - ENMX06 - D18Z2M08	0730	11.0	18	2	23		M08		-	13	●
		MHF - ENMX06 - D20Z3M10	0692	12.6	20	3	30	Modular	M10		-	18	●
		MHF - ENMX06 - D25Z4M12	0693	17.6	25	4	35		M12		-	21	●
	1	MHF - ENMX06 - D32Z5M16	0694	24.6	32	5	42		M16		-	29	●
		MHF - ENMX06 - D35Z5M16	0695	27.6	35	5	42		M16		-	29	●
		MHF - ENMX06 - D40Z6M16	0732	32.6	40	6	42		M16		-	29	●
		MHF - ENMX06 - D42Z6M16	0696	34.6	42	6	42		M16		-	29	●
	1	FHF - ENMX06 - D40Z6S16	0482	32.6	40	6	40	Shellmill	16		18	37	●
		FHF - ENMX06 - D50Z6S22	0471	42.6	50	6	50		22		25	42	●




* Clamping Torque (Nm) 1.2Nm

ENMX06	Screw	Wrench	Handle	BIT
Description	TP082507-GS	TPWBTP08	DH-H4	DB-TP08
EDP	18000206	18000218	18000189	18000190

Milling - High Feed Milling - Cutter

Cutters for ENMX

Entering Angle : 10°
4 Corner Negative



CICT : Number of Inserts
CDBP : Connection Bore Depth

: Refer to p. 175

Unit : mm

Series	APMX	Designation	EDP 1700..	DC	DCX	CICT	LF	Type	DCON / TDZ	LH	CDBP	DCSFMS	
ENMX 0905	1.5	EHF - ENMX09 - D25Z2C25 - L150	0745	15	25	2	150	Cylindrical	25	70	-	-	●
		EHF - ENMX09 - D26Z2C25 - L200	0746	16	26	2	200		25	30	-	-	●
		EHF - ENMX09 - D26Z3C25 - L200	0747	16	26	3	200		25	30	-	-	●
		EHF - ENMX09 - D32Z3C32 - L160	0748	22	32	3	160		32	70	-	-	●
		EHF - ENMX09 - D33Z3C32 - L200	0749	23	33	3	200		32	30	-	-	●
		EHF - ENMX09 - D33Z4C32 - L200	0750	23	33	4	200		32	40	-	-	●
		EHF - ENMX09 - D40Z5C32 - L180	0751	30	40	5	180		32	40	-	-	●
		MHF - ENMX09 - D35Z4M16	0989	25	35	4	42	Modular	M16	-	-	29	●
		FHF - ENMX09 - D50Z3S22	0820	40	50	3	50	Shellmill	22	-	20	42	●
		FHF - ENMX09 - D50Z4S22	0821	40	50	4	50		22	-	20	42	●
		FHF - ENMX09 - D50Z5S22	0752	40	50	5	50		22	-	20	42	●
		FHF - ENMX09 - D63Z4S22	0822	53	63	4	50		22	-	20	48	●
		FHF - ENMX09 - D63Z5S22	0823	53	63	5	50		22	-	20	48	●
		FHF - ENMX09 - D63Z6S22	0753	53	63	6	50		22	-	20	48	●
		FHF - ENMX09 - D63Z7S22	0754	53	63	7	50		22	-	20	48	●
		FHF - ENMX09 - D80Z8S27	0755	70	80	8	50		27	-	23	56	●
		FHF - ENMX09 - D100Z10S32	0824	90	100	10	63		32	-	26	78	●
		FHF - ENMX09 - D125Z12S40	0825	115	125	12	63		40	-	28	89	●

* Clamping Torque (Nm) 2.0Nm

ENMX09	Screw	Wrench	Handle	BIT
Description	TP103509-GS	TPWBTP10	DH-H4	DB-TP10
EDP	18000266	18000280	18000189	18000271