


DIGITAL RTJ RING GROOVE CALIPERS

- Measure ring grooves of flangeResolution: 0.01mm/0.0005"
- Button function: on/off, set. zero, mm/inch, data preset
- Battery CR2032
- Made of stainless steel



applicable for RTJ ring grooves with angle 23°





d and e need to be added on the reading







measure outside diameter of RTJ ring groove









With data interface

(mm)

Code	Range (inside diameter of RTJ ring groove)	Range (outside diameter of RTJ ring groove)	Angle of RTJ ring groove	Accuracy	Туре	L	а	b	С	d	е	Data output cable (optional)
1179-300	10-300mm/0.4-12"	25-300mm/1-12"	23°	±0.06mm	Α	410	63.5	4.5	17	25	10	7315-21, 7302-21
1179-600	10-600mm/0.4-24"	25-600mm/1-24"	23°	±0.07mm	В	770	65.5	4.5	24	25	10	7315-22, 7302-22
1179-1000	15-1000mm/0.6-40"	30-1000mm/1.2-40"	23°	±0.09mm	В	1220	90	5	31	30	15	7315-22, 7302-22

Built-in wireless (receiver code 7315-2/3/6/7/8 is required)

(mm)

Code	Range (inside diameter of RTJ ring groove)	Range (outside diameter of RTJ ring groove)	Angle of RTJ ring groove	Accuracy	Туре	L	а	b	С	d	е
1179-300WL	10-300mm/0.4-12"	25-300mm/1-12"	23°	±0.06mm	Α	410	63.5	4.5	17	25	10
1179-600WL	10-600mm/0.4-24"	25-600mm/1-24"	23°	±0.07mm	В	770	65.5	4.5	24	25	10